



STEP 1

Cleanse wound thoroughly, using local protocols. The skin surrounding the wound should be clean and dry.




STEP 2

Dressing size is dependent on the wound surface area. Use grid to determine length – the dressing edge should extend 2-3cms beyond the wound margin.




STEP 3

Cut to desired length. Fold both backing papers to expose dressing pad.



STEP 4


Apply the AsGUARD® Flex+ Non-woven dressing covering entire wound bed. Release backing paper and apply fixation.



STEP 5

Smooth down the edges of the non-woven border ensuring adherence.

DRESSING CHANGE



The clinician-in-charge is responsible for determining the need for dressing changes, dependent on the stage and phase of wound healing and exudate level.

The dressing should be changed when exudate absorption is considered to be extending beyond the wound surface area.

7 days is the maximum period between dressing changes.

To minimise potential damage to fragile skin, AsGUARD® Flex + Non-woven Island Dressing should be eased off using an adhesive remover wipe.

INDICATIONS

AsGUARD® Flex + Non-woven Island Rolls are non sterile and indicated for use only as primary dressing in a first-aid or first response situation in the management of:

- Abrasions and lacerations
- Blisters and minor skin loss

CONTRAINDICATIONS

- Should not be used if allergies to any of its components, is known.